



*Chapter 7.4*

*Index*

## 7.4 Index

### Symbols

%lt 274  
%lx 274  
%nW 274  
%oN 274  
± 3 f-stops 220  
1:1 copy function 406  
12 colour sectors 158  
16 bit HDR grey scale 72  
1 bit 215  
24 bit 72  
256 levels of grey 445  
3/4 tone 156  
35 mm slides 67  
3x3 pixels 53  
48 bit 72, 425  
48 bit HDR colour 72, 339  
6 colour sectors 158  
6x4.5 43  
6x6 43  
6x7 43  
6x9 43  
90° steps 47, 303

### A

a/b channel 293  
AACO (Auto-Adaptive Contrast Optimization).  
See SilverFastAACO  
ACR = Adaptive Colour Restoration. See Silver-  
FastACR  
Activate a scan frame 89

Active scan frame 39  
Activity indicator 46  
ADF / Document feeder 70, 237, 238  
Adjust Images automatically 340  
Administrator 28  
Adobe RGB 416  
Advanced colour cast removal. See MidPip4  
Album folder 66, 259  
Album palette 265, 267  
Album window 278  
Anti-Aliased 54  
Appearance manager 19  
Apple RGB 416  
Apply 93  
APS film 41, 235, 236, 237  
    APS film feeder 42  
    APS overview 235  
    Index scan 235  
ASA/ISO value 221  
Aspect ratio 78  
Auto-adjust 108, 114, 137, 138, 220  
    Auto-adjust and colour cast preservation 118  
    Auto-adjust and colour cast removal 117  
    Auto-adjust and threshold 119  
    Auto-adjust reset 118  
    Auto threshold highlight 121  
    Auto threshold shadow 121  
    Colour of auto-adjust button 114  
Auto-focus 250  
Auto-gradation 108  
Auto-threshold for highlights and shadows 59  
Auto contrast 61  
Automatic density 40  
Automatic document feeders (ADF) 237

Automatic orientation detection 67  
Automatic prescan 94  
Automatic when ADF 61  
Automatic with ADF 238  
Auto palette 59  
Auto pipette middle factor 60  
Auto sharpen 199

## B

b/w film 232  
Barcode 435  
Baseline optimised 245  
Batch mode 70, 87, 238  
    Batch scan 86  
    Interruption of a batch 238  
    Setting of an image number in the batch 244  
Batch mode (File) 87, 238  
Batch scans 87  
Black and White negatives or slides 394  
Black and white point 42  
Blind colour 65  
Blue dot 277, 287  
Bright contour 204  
Brightest point 59, 131  
    Displaying Brightest and darkest point of an image 131  
Brightness 149, 293  
Browser 266  
Brush 167, 382

## C

C41 process 394  
Cache 259, 260, 263, 278

Cache size 66  
Deleting the cache memory 285  
Green arrow 263  
Red square 263  
Calibration of your scanner 433  
Calibration profile 64  
Camera Storage Media 271  
CCD 217  
CCD noise 42  
Chapter 1: Installation 17  
Chapter 2: Overview 35  
Chapter 3: Presets 49  
Chapter 4: Prescan Design 81  
Chapter 5: Tools 105  
Chapter 6: Special Functions 191  
Chapter 7: Colour Management 411  
Choose plug-in folder 30  
Clone tool 44, 401  
    Auto texture 403  
cm 52  
CM12 175  
CM6 175  
CMS (Colour Management System). See Colour management  
    CMS dialogue 417  
CMS palette 62, 93, 417  
    Colour management 417, 418  
        Internal -> Monitor 418  
        Internal ->Output 419  
        Scanner -> Internal 418  
    Embedded ICC profiles 417, 425  
    Plug&Play CMYK 417, 426  
        CMYK Output with Colour Management 427  
        Scanning with Colour Separation 426  
    Profiles for ColorSync (ICM) 417, 420  
        Internal 421

- Output/Printer 422
  - Rendering Intent 423
  - Scanner (Reflective) 420
  - Scanner (Transparency) 420
  - CMYK colour simulation** 91, 427
  - CMYK output** 427
  - CMYK Values Visible on the Prescan** 195
  - ColorSync** 62, 114, 262, 416, 425
  - Colour balance** 108, 155, 156, 157
    - Resetting colour balance 156
  - Colour cast** 130, 137, 138, 230, 231, 292
    - Automatic colour cast removal 137
    - Colour cast preservation 118
    - Colour cast removal 59, 117
    - Manual colour cast removal 138
    - Preserving a colour cast 130
  - Colour channel in histogram** 136
  - Colour circle** 160, 164
  - Colour filter (blind colour)** 65
  - Colour in colour correction.** *See auch* Selective colour correction
  - Colour management** 413
    - Comparing the colour spaces 416
    - Introduction 413
    - Objective of Colour Management System 413
    - Objective of the SilverFast Colour Management 414
  - Colour matrix 12** 158
  - Colour matrix 6** 158
  - Colour model relations** 453
  - Colour models** 194
    - CMY 194
    - CMYK 194
    - Colour model RGB or CMY 53
    - HSL 194
    - K 194
  - LAB** 194
  - LCH** 194
  - RGB** 194
  - Colour negatives** 394
  - Colour separation** 426
  - Colour space compression** 143
  - Colour temperature** 292
  - Colour tint** 261, 292
  - Colour to Grey Conversion** 180
  - Complementary colours** 452, 453
  - Compression of colour Space** 141
    - Example for colour space compression 143
  - Concept of optimising images** 112
  - Contact sheet** 270, 282
  - Contaminating colours** 453
  - Context menu** 195
  - Contrast** 149, 293
  - Copy a scan frame** 90
  - Copyright** 3
  - Credits button** 32
  - Curve points** 151
    - Control of the curve points 152
- ## D
- Dark contour** 203, 204
  - Darkest point** 131
    - Displaying darkest point 132
  - DCPro.** *See* SilverFastDC...
  - DCProStudio.** *See* SilverFastDC...
  - DCS file format** 243, 245
    - Multi file 245
    - Single file 245
  - DCVLT.** *See* SilverFastDC...
  - Default dialogue.** *See* Options... dialogue

- Defaults.** See Options... dialogue
    - Standard defaults 59
  - Default setting** 54
  - Delete a scan frame** 89
  - Delete cache / Delete images** 285
  - Delete frame** 42
  - Deleting Images** 285
  - Densitometer** 101, 123, 134, 145, 186, 194
    - Before and after values 194
    - Densitometer is displayed in the gradation and the selective colour correction dialogue 194
    - Densitometer palette 39, 91
    - Densitometer radius 53
    - Densitometer reading and gradation curves 186
    - Displaying the densitometer measure points with the histogram and gradations dialogues 145
    - Multiple densitometer 145
    - Selecting the colour space in the densitometer 146
    - Switching the densitometer 195
    - Transfer of the brightest/darkest point to the multiple densitometer 146
  - Descreening** 205, 207
    - Automatic descreening 205, 206
    - Automatic descreening (intensive) 205, 206
    - Before-After view 207
    - Moiré 205, 208
    - Preview button 207
    - USM & Descreening 205, 209
  - Device** 69
  - Dialogue overview** 39
  - Dialogue window** 37
    - Macintosh 37
    - Windows 38
  - Difference between ScanPilot and ImagePilot** 110
  - DIGITAL ICE technologies** 41, 232, 371, 375
  - Displaying a processed image** 56
  - Document feeder** 103, 238
  - Dot screen** 76
  - dpcm** 446
  - dpi** 446
  - Drag & drop** 80, 279
  - Dust- and scratch removal.** See SilverFastSRD
  - Dust and scratch removal** 41
- E**
- E6 process** 394
  - Eject button** 41
  - Embed ICC profiles** 64
  - Embed profiles** 64
  - Enhanced print dialogue.** See PrinTao
  - Evening** 74
  - EXIF** 266, 268, 277, 284, 298, 314. See SilverFastDC...
  - Expert dialogue** 108, 187
    - Equal parameters for a row 187
    - Exporting the image parameters as a text file 189
    - Fourth column for grey values 188
    - SF Statistic.txt 189
    - Showing / Hiding the curve window Dialogue 188
  - Expert mode** 274, 386
  - Export Album** 271
  - Export images** 287
  - Exposure** 66, 292
  - Extended print dialogue.** See PrinTao
- F**
- Feature CD** 32
  - File browser** 299, 300
  - File format** 87, 241, 243, 247, 353

- Reading different file formats 247
- Saving different file formats 241
- File name** 39, 76, 354
- File size** 76
- Film holder** 43, 235, 237
  - APS adapter 235
  - Automatic document feeders (ADF) 237
  - Batch scans 237
  - Eject 236
  - Film Strip Holder 236
  - Holder transport 43
  - Middle formats 43, 237
  - Panorama formats 43, 237
- Film scanner** 239, 347, 357, 358
  - Film scanners with a magazine 239
    - Area 240
    - Holder transport 239
    - Overview dialogue 240
  - JobManager 347
  - SilverFastJobManager workflow with film scanners 357
- Film strip holder**
  - Adjusting the Film Strip Position 237
- Film strip position** 42, 237
- Filter** 39, 73, 199
  - Descreening 73
  - GANE 73, 211
  - USM 73, 199
- FireWire** 21, 80
- Fixing width and height** 76
- Flash cards** 271
- Flip** 47, 282
- Focus** 41, 249
  - Auto-Focus 250
  - Focus preview 251
  - Focussing the Scanner 249

- Focus switch 249
- Manual Focus 250
- Manual focus with preview 251
- FOGRA** 298
- Frame deletion** 42
- Frame Inset** 61
- Frame number** 86, 94
  - Frame number indicator 42
- Frame palette** 39
- Frame sets** 70
- Frames on Prescan** 85
- Full screen preview** 66

## G

- Gamma gradation** 55
  - Gamma Gradation for HDR Output 55
  - Gamut Expected in 48bit/HDR 55
- Gamut** 196
  - Gamut Warning 196
- GANE (Grain- and Noise Elimination)** 211
  - Activating GANE 212
  - Before-After preview 211
  - Expert Mode 213
  - Intensity 213
  - Threshold 213
- General palette** 39, 69
- Global colour correction** 108, 155
- Gold tones** 74
- Gradation** 108, 147, 155
  - Adjusting gradation curves 149
    - By entering values into the input fields 149
    - By loading saved gradation curves 149
    - By moving the curve points 149
    - By using the sliders 149
  - Colour channels 150

- Comparison of the different gradation dialogues 111
- Deactivating gradation curve points 151
- Deleting a gradation curve 150
- Extended gradation curves 153
- Gradation curves 147
- Hottrack gradation 152
- Loading Photoshop gradation curves 153
- Range selection 156
- Reset 156
- Resetting deactivated curve points 151
- Saving a gradation curve 150
- Selecting gradation curves 153
- Grain- and Noise Removal** 211
- Green dot** 277
- Greyscale** 444, 447
- Grid frames** 326

## H

- H-S cast** 74
- Halftoning** 65
- HDR.** See SilverFastHDR...
- Help button** 40
- Help lines** 326
- Highlight** 108, 149
  - Preserving specular highlights 130
  - Setting highlight 123
  - Specular highlights 130
- Highlight / Shadow tool** 123, 132
  - Highlight / Shadow reset 124
  - Highlight / Shadow with offset 123
  - Preserving a colour cast with the highlight / shadow tool 130
- Highlight and shadow offset** 129
- Highlight Cast** 74

- Highlight Offset (Brightest Point)** 59
- Highlights** 141
- Highlight triangle** 121
- High resolution prescan** 54, 97, 100, 184
- HiRePP (High Resolution Picture Performance).** See SilverFastHiRePP
- Histogram** 108, 133, 141
  - Channel selection 136
  - Compressing colour space via histogram 144
  - Compression of colour space in histogram 141
  - Histogram-Dialogue in SilverFast...SE versions 133
  - Optimising a histogram manually 139
  - Three-part histogram 135
    - Staggered three-part presentation 136
    - Standard mode 135
    - Three-part parallel presentation 135

- Horizontal scaling** 76

- Hottrack gradation** 152

- HSL** 228

- HSL controls** 159

- HSL Correction by Sliders** 161

- Hue** 160, 161, 228

## I

- ICC printer profile** 405

- ICC profile** 114, 195, 262, 299, 414, 425

- Camera specific ICC profile** 262

- ColorSync** 262

- Generate an ICC camera profile** 262

- ICM** 262

- ICE** 232, 371, 375. See DIGITAL ICE technologies

- ICM** 62, 114, 262, 416, 425

- Image auto-adjust** 108, 114

- Image compression 245
- Image mode 71
- Image number 244
- Image orientation monitor 47
- Image overview 348
- Image overview dialogue 42
- ImagePilot 40, 110
  - Prefs button 110
- Image settings 409
- Image settings dialogue 292
  - Brightness (mid-tones) 293
  - Colour 292
  - Colour-distortion reduction 293
  - Contrast 293
  - Exposure 292
  - Light source 292
  - Pipette 292
  - Realtime Histogram 293
  - Saturation 293
  - Settings 293
  - Smoothing of luminance 293
  - White balance 292
- Image type 74
  - Image type presets 39
- Import 28
- Improving the sharpness of artwork 199
- inch 52
- Index 355
- Index scan 42, 235, 348
- Info button 40
- Input > Internal 62
- Input dimensions 39
- Installation 17, 18
  - Installing SilverFast Plug-in 22
  - SilverFast as a TWAIN Module 25
- Internal > Monitor 62
- Internal > Output 62
- Interpolation of scan resolution 54
- IPTC 266, 271, 272, 274, 283, 298, 314.
  - See SilverFastDC...
    - Load 283
    - Save 283
- iSRD 369, 371. See SilverFastiSRD
- iSRD (dust and scratch removal with infrared technology). See SilverFastiSRD
- IT8 calibration 42, 222, 253, 262, 336, 433
  - Barcode 435
  - Coloured IT8 button 433
  - Differences in calibration between a Sscanner and a digital camera 437
  - Grey IT8 button 433
  - IT8 calibration with SilverFastDCPro 336
  - IT8 reference folder 435
  - IT8 target 337, 433
    - Charge number of IT8 targets 439
    - Identifying the IT8 target 434
    - KODAK IT8 targets 435
    - Reference data file 434
  - Reference data file 434
    - Reference data file not found 435
  - Steps of a calibration with SilverFastDCPro 337

## J

- JM (JobManager).** See SilverFastJobManager
- Job** 344
- JobManager** 340, 343. See SilverFastJobManager
- JPEG 2000 file format** 246
- JPEG file format** 245
  - Format 245



Quality 245  
JPF 246

## K

Keep original resolution 340  
Keep output height or width 78  
Keep the ratio of height and width 78  
Keystrokes in SilverFast 454  
Kodachrome film 232

## L

L (logarithmic) 154  
Lamp brightness 66  
Landscape 74  
Lasso 167, 382  
Layers 159, 175, 383

- Adding layers 176
- Delete 177
- Moving layers 178
- Stapling order 178
- Switch 177

Less auto sharpen 199  
Levels 122  
License 4  
Light contour 203  
Light source 292  
Limit gamma slope 66  
Linear midtone 154  
Line art scans 215

- Threshold 216
- Zooming for optimum threshold definition 216

Lock 39, 77, 79  
Logarithmic midtone 154  
lpcm 446

lpi 446  
Luminance 160, 161, 228, 293

## M

Macintosh 19  
Mac OS 9.2 19  
Magazine (for slides) 239  
Magnifier 97, 277. See Zoom  
Manual focus 250  
Mask edge size 57, 169, 175  
Masks 57, 159, 167, 175, 382, 397

- Changing a Mask 170
- Delete 172
- Inverted mask 383
- Move 171
- New mask 167
- No mask 171

Matrix 200  
Maximum cache size 66  
Measurement units 39  
Meta data 311, 314  
Middle format 43  
Middle formats 237  
MidPip4 126, 145

- Adjusting neutral values to a determined density 128
- Alert messages 128
- Delete neutral points 128
- Editing the MipPip 127

Midtone 108, 141, 149, 154, 156

- Linear and Logarithmic Midtone 154
- Setting midtone 125

Minimize window 39  
Mirroring 40

- Flip 47

**Moiré** 205  
**More auto sharpen** 199  
**Moving of a scan frame** 90  
**Multiple densitometer** 134, 196  
    **Transfer of the brightest/darkest point to the multiple densitometer** 197  
**Multiple FixPip** 101, 134, 186, 196  
**Multiple Frames** 85  
**Multiple neutralising pipette.** See MidPip4  
**Multiple sampling** 42, 217  
    **Multi-Sampling with Auto-Alignment** 217  
**Multiple scan frames** 85  
**Multiple scanning** 42  
**Multiple slide scanner settings** 239

## N

**N (normal)** 154  
**Naming of scan frame** 242, 243  
**Navigation window** 266  
**Navigator** 299, 300  
**Navigator palette** 97  
**Neg.Direct** 70  
**NegaFix** 219. See SilverFastSC2G  
    **Auto tolerance** 219, 224  
    **Components** 234  
    **Expert dialogue** 219, 223  
        Automatic mask 226  
        Changing the film gradation curves 229  
        Curves menu 224, 229  
        Expansion Menu 224  
        Expansion menu in detail 226  
        HS and L dialogue 225  
        HSL colour space 228  
        Magnifier 224, 229  
        Neutralizing colour casts 230  
        Producing a colour cast deliberately 231

    Reset 227  
    RGB-CMY switch 227  
    Save 227  
    Save the newly created profile 225  
    Saving changes as a new profile 231  
    Set neutral grey 225  
    Setting orange mask highlight shadow points 228  
    Smoother 229  
**Exposure** 219  
**Film speed** 219  
**Film type** 219  
**Importing film profiles** 223  
**Manufacturer** 219  
**Negative.** See SilverFastNegaFix  
**Neutral point** 126  
    **Deleting neutral points** 128  
**Neutral values** 126  
**Night** 74  
**Noise** 217  
**Non-PostScript-Printer** 422

## O

**Offset** 129  
**Open button** 255, 335  
**Open VLT at start up** 56  
**Options... dialogue** 53  
    **Auto Defaults** 59  
    **CMS (colour management) settings** 62  
    **General Defaults** 53  
    **Special Defaults** 65  
**Options parameter** 54  
**Orientation of the image** 47  
    **Orientation window** 47  
**Original** 70, 103, 238  
**Original height** 76

**Original width** 76

**Output dimensions** 39

**Output file size** 39

**Output height** 76

**Output screen** 39

**Output width** 76

## P

**P&P CMYK** 62, 91, 417, 419, 425, 427

Softproof 91

**Panorama captures** 43, 237

**Permanent Softproof** 195

**Permanent softproof** 91, 427

**Photoshop 5.02** 428

**Photoshop plug-in** 22

Launching and activating SilverFast via Photoshop  
28

**Pica** 52

**Picture** 69

**Pipette** 60, 101, 108, 145, 292

Fixed Pipette 101, 145

**Pixel** 52

**Pixel lock** 79

**Pixel zoom** 47, 201

**Plug&Play CMYK** 64, 93, 427

**Point** 52

**Polygon** 167, 382

**Pos./Neg.** 219

**Positive/Negative** 70

**PostScript-Printer** 422

**PowerMac** 19

**Preferences** 51, 110

**Prefs** 110. See Preferences

Prefs file 85

**Prescan** 83

Aborting Prescan 184

High resolution prescan 184

Prescan concept 83

Prescan design 84

Prescan faster 65

Prescan launch button 39

Prescan mirroring 40

Prescan monochrome 65

Prescan rotation 40

Prescan without auto focus 67

Saved prescan for reflective and for transparency  
84

**Preserve settings for a new image** 57

**Presets** 259, 267

**Preview in fullscreen** 43

**Preview mode** 270

**Primary colours** 452, 453

**PrinTao** 266, 270, 295, 298, 299, 405, 406

1:1 copy function 406

Adapt to page size 309

Add button 302, 306, 309

Additional pages 306

Centre image in printout 302

Centre on page 309

Changing the image clipping within the image  
frame 305

Click-dragging 308

Composing images and texts 328

Context menu 331

Control buttons 309

Copyright notes 317

Create freely positionable text framework 316

Crop image 304

Cut image 309

Cut image option 303

Delete button 309

- EXIF/IPTC data** 298
- Export** 309
- Export print documents** 318
- Grid frame** 327
- Help lines and grid frames on print pages** 326
- Image list** 405
- Invert button** 303
- Keyboard shortcuts in PrinTao** 332
- Layout menu** 307
- Load** 309
- Navigator / File Browser** 300
- Number of pages** 307
- Page and layout settings** 405
- Page number** 405
- Printer Settings** 405
- Printer setup** 331
- Printing area** 405
- Print single image** 302
- Priority** 307
  - Exact size 307
  - Long side 307
  - Small side 307
- Reflect vertically / horizontally** 309
- Rotate button** 303, 309
- Rulers** 405
- Save** 309
- Scaling** 323
  - Scaling images on a print page 324
  - Scaling images within the image frame 325
- Stacking sequence buttons** 309
- Templates** 298, 316, 319
  - Activate / Deactivate templates 322
  - Adapt template 320
  - Application of default templates 321
  - Apply to all pages 320
  - Create layouts 320
  - Delete image frame 321
  - Delete template 320
- Drag&Drop 321
- New template from page 319
- Template modifiers 320
- Undo 320
- Text tools** 309, 310
  - Close text box 310
  - Colour 312
  - Copyright note 317
  - EXIF 314
  - Font window 310
  - GPS 315
  - IPTC 314
  - Meta data 311, 314
  - Placement 313
  - Spell check 313
  - Text editor 310, 311
  - Text panel 310
  - Undo / Redo 311
- Tools** 405
- Transfer several images to printout** 306
- XML files** 318
- Zoom and scaling functionality** 323
  - Zoom print page document 323
- Printer resolution** 446
- Print image** 42, 294, 295, 405
  - PrinTao. See PrinTao
  - Printing contact sheets 282
  - Printing Directly out of the Prescan Window 294
  - QuickTime movies 309
- Process mode** 70, 287
  - Batch-Mode 70
  - Batch-Mode (File) 70
  - Normal 70
  - Normal (File) 70
  - To album 70
- Profiles for ColorSync (ICM)** 63
- Progress bar** 264
- Progressive JPEG** 245

Proportional scaling 78

## Q

**Q-factor** 447. See Quality factor

**Quality factor** 39, 76, 447

**QuickTime movie** 26, 34, 43

**Quit SilverFast** 39

## R

**Radius of densitometer** 53

**RAM** 19, 24

**RAW data format** 72, 259

    Conversion of RAW data files 263

    CR2 (Canon) 259

    CRW (Canon) 259

    CS (Sinar) 259

    DC2 (Kodak) 259

    DCR (Kodak) 259

    DNG (Adobe) 259

    ERF (Epson) 259

    Green arrow 263

    HDR (Leaf) 259

    Internal RAW data conversion profile for your  
    Camera 261

    K25 (Kodak) 259

    KDC (Kodak) 259

    Linear conversion of the RAW data 261

    MOS (Leaf) 259

    MRW (Minolta) 259

    NEF (Nikon) 259

    ORF (Olympus) 259

    PEF (Pentax) 259

    RAF (Fuji) 259

    RAW (Leica, Panasonic) 259

    Red square 263

    SR2 (Sony) 259

    SRF (Sony) 259

    TIFF (PhaseOne) 259

    Unconverted RAW data file 286

    What is RAW data? 344

    X3F (Sigma) 259

**Realtime correction** 56

    Realtime processing 83

**Realtime Histogram** 293

**Red eye correction** 43, 291

**Reduce window** 108

**Reflective** 70, 103

**Remove red eyes** 291

**Renaming images** 272

    Automatic re-naming while unloading 273

    Re-naming images automatically 273

**Rendering intent** 63, 423

    Absolute colourimetric 424

    Perceptual 423

    Relative colourimetric 424

    Saturation 424

**Reopen SilverFast after processing** 56

**Reopen SilverFast after scan** 56

**Reset all** 89

**Reset button** 39, 76

**Resize box** 37

**Resolution** 77, 448

    Calculating the Scan Resolution 447

    Effective resolution 77

    Input resolution 444

    Interpolated resolution 77, 444, 448

    Optical resolution 96, 103, 444, 448

    Optimal scan resolution 447

    Optimum scan resolution for inkjet printers 450

    Output resolution 448

- Scan resolution (dpi) 444, 447
- Screen resolution (lpi) 446
- Showing interpolated resolution 77
- Showing scan resolution 77
- Which resolution does SilverFast indicate? 448
- Retouching of images 401
- RGB (0-255 values) and CMYK (0 to 100% measurement) 53
- RGB or CMY 53
- ROOT 28
- Rotation 40, 282
  - Rotate 90° clockwise 47
  - Rotation Tool Palette 47
- Round magazine 239

## S

- Saturation 160, 161, 228, 293
- SC2G (selective colour to grey). See SilverFast-SC2G
- Scaleable prescan 202
- Scaling 76
  - Fixing output width and height 78
  - Fixing output width or height 78
  - Proportional Scaling 78
- Scaling factor 39
- Scan CMYK 427
- Scan faster 65
- Scan frame parameters 39
  - Activating Scan Frames 89
  - Copying parameters into another scan frame 90
  - Deleting a Scan Frame 89
  - Loading and saving single scan frame parameters 86
  - Moving and Copying of Scan Frames 90
- Scan mode 70, 87, 242
  - Batch 242
  - Batch mode 70
  - Batch mode (file) 70, 243
  - Batch scan 87
  - Normal 70, 242
  - Normal (File) 70, 242
- Scanner > Internal 62
- Scanner interfaces 21
  - FireWire 21
  - SCSI 21
  - USB 21
- Scanner with different optical resolutions 103
- Scanning concepts 443
- Scan parameters 69
  - Frame palette 71
- ScanPilot 39, 40, 110
  - Help texts 111
  - Preferences dialogue 110
- Scan resolution 39, 76, 77
  - Scan Resolution for Scaled Images 77
  - Showing interpolated resolution 76
  - Showing scan resolution 76
- Scan RGB 427
- Scan start button 39
- Scan type 39, 71
- Scratch volume 55
- Screening matrix 446
- Screen resolution (lpi) 446
- SCSI 21, 80
  - SCSI ID 21, 80
- Search for ... 269
- Sector correction. See Selective colour correction
- Selective colour correction 108, 158, 452
  - Activation of selective colour correction 159

- Administration of layers** 159
- CM12** 159
- CM6** 159
- Colour circle** 160, 164
- Colour matrix** 159, 160, 165
- Colour space zoom** 159
- Correcting an image selectively** 162
- Correction of 12 colours** 174
- HSL controls** 160
- Joining presets for a complete correction** 166
- Masks** 159
  - Brush tool 168
  - Changing a mask 171
  - Changing of a mask 170
  - Creating masks 159
  - De-activating a mask (no mask) 171
  - Directly new redraw of an inverted mask 170
  - Displaying an inactive mask area 172
  - Hard or soft mask edges 169
  - Inverse mask 170
  - Lasso tool 168
  - Mask edge size 169
  - Move a mask 171
  - New mask 168
  - Polygon tool 168
  - Removing a mask (delete) 172
  - Selecting a mask tool 167
  - Working with masks 167
- Multi layers and masks** 175
  - Changing layers (switching) 177
  - Creating new layers 176
  - Deleting layers 177
  - Moving of layers (change order) 178
- Objective of selective colour correction** 160
- Presets** 159, 165
- Reset / Reset all** 159
- Selecting colours** 164
- Working with colour correction presets** 166
- Separation parameter** 93
- Serial number** 29, 31
  - Problems while entering the serial number 33
- Setting** 73, 86, 88
  - Saving and Loading several Scan Frames as one Setting 88
- Settings SilverFast / Photoshop 5.02** 428
- Settings SilverFast / Photoshop 6** 431
- Settings SilverFast / Photoshop 7** 432
- SFLauncher** 22, 30
  - Launching and activating SilverFast via SFLauncher 30
- SF Statistic.txt** 189
- SFthumbs** 266, 268
- Shadow** 108, 141, 149
  - Setting shadow 124
- Shadow cast** 74
- Shadow offset (darkest point)** 59
- Shadow triangle** 121
- SilverFast...SE...** 133, 148, 155, 158, 187, 194, 200, 205, 215, 219, 233, 369, 378, 393
  - SilverFast...SEPlus 205
  - SilverFastSE 253
- SilverFastAACO** 44, 399
  - AACO 44
  - Auto Adaptive Contrast Optimization. See Virtual Light Table (VLT)
  - Saturation 400
  - Shadow width 400
  - Strength 400
- SilverFastACR** 179
  - ACR control 159
  - ACR slider 179
  - ACR with auto-adjust 61
- SilverFastAi...** 253
  - SilverFastAiStudio 253
- SilverFastAiStudio** 298, 405, 406, 409

- Image settings 409
- PrinTao (Extended print dialogue of SilverFastAiStudio) 405
- PrinTao dialogue 406
- SilverFastDC...** 253, 258
  - Album palette 267
  - Album window 278
    - Size of the album window 285
  - Alternative Opening of Images 256
  - Blue\* or Green Dots within the Thumbnails 277
  - Browser- and Navigation Window 266
  - Cache 259
    - Cache size 260
    - Delete 260
  - Contact sheet 282
  - Conversion of RAW data files 263
  - Deleting images 285
  - Differences in Calibration Between a Scanner and a Digital Camera 437
  - Edit image comments 281
  - EXIF 284
  - Export albums 271
  - File browser 300
  - Hide/Show button 268
  - Image settings 292
  - Internal RAW data conversion profiles 261
  - IPTC 272
    - IPTC image information in the album 283
  - JobManager 288
  - Magnifier 277
  - Manually selecting a camera specific ICC profile 262
  - Mark button 280
  - Open button 335
  - Overview window 268
  - Path for the Album Folder 259
  - Plus/Minus buttons 267
  - Presets palette 267
  - Preview mode 270
  - RAW data formats 259, 286
  - Re-naming dialogue 273
    - Add IPTC to file 274
    - Add the old index number to the name 274
    - Image list 273
    - Settings for new names 273
    - Subsequent, Automatic Renaming 276
  - Remove red eyes 291
  - Search button 269
  - Show EXIF data 277
  - SilverFastDCPro 254
  - SilverFastDCProStudio 254
  - SilverFastDCSE 254
  - SilverFastDCVLT 254, 258
  - System requirements 259
  - Unloading Camera Storage Media 271
    - Original 273
    - Output 272
    - Path 272
    - Possible actions 275
    - Preview 273
    - Re-naming Example 275
    - Renaming 272
    - Transformation 272
    - Workflow for unloading 271
  - SilverFastDCPro** 259, 261, 298, 336
    - DCPro open image 288
    - IT8 calibration 336
  - SilverFastDCProStudio** 298
  - SilverFastHDR** 298
  - SilverFastHDR...** 253, 255
    - Alternative Opening of Images 256
    - HDR open image 256
    - HDR overview 256
    - JobManager 288
    - Renaming images. See SilverFastDC...
    - SilverFastHDRStudio 253, 255



- SilverFastHDRStudio** 298
- SilverFastHiRePP** 338
  - Furnishing existing image data with HiRePP 339
  - HiRePP is especially significant for whom? 339
  - How does HiRePP function? 339
  - How much time will be saved? 338
- SilverFastiSRD** 41, 393
  - Activating iSRD 394
  - Auto 395
  - Combining iSRD and SRD 396
  - Expansion correction 395
  - Expert mode 395
  - How does iSRD work? 393
  - Infrared channel display 397
  - iSRD automatic mode 394
  - iSRD manual mode 395
  - Layers 396
  - Masks in iSRD 397
  - Prescan 395
  - Threshold value 395
  - Using SRD and iSRD simultaneously (layer technology) 396
  - Which films can iSRD be used with? 394
- SilverFastJobManager** 40, 288, 289, 343.  
See **SilverFastSC2G**
  - ... with film scanners and film strips 347
    - Activating the JobManager 347
    - Adding all frames of the preview window 349
    - Adding a single frame 350
    - Changing Back a Job 356
    - Choosing the location for scans 353
    - Easy-edit mode 351
    - File format 353
    - File naming menu 354
    - Image overview of inserted film strip 348
    - Index 355
    - Job status 356
    - Leaving the processing mode 352
    - Output settings 353
    - Processing mode 351
    - Produce job entries 347
    - Selecting desired images 348
    - Starting the real scan processing 355
    - Workflow with film scanners 357
  - ... with flat bed scanners 358
  - ... with SilverFastHDR..., -DCPro... 359
    - Differences in working with scanners 359
  - Differences in JobManager between SilverFastHDR..., -DC..., and SilverFastAi...** 346
  - Difference to working with film scanners** 358
  - Error messages** 366
  - How is JobManager different from batch scanning?** 344
  - Image information** 346
  - Job entry** 344, 347, 361
    - Copying of complete job entries 362
    - Copying of job entry parameters 361
    - Deleting job entries 350
    - Processing job entries 351
  - Managing complete jobs** 363
  - Multit job** 363
  - Name of current job** 346
  - Output options** 346
  - Overview** 345
  - Processing time - example** 359
  - Purpose of the JobManager** 343
  - Save as** 363
  - Tools** 346
  - Unconverted RAW data images** 288
  - What is a Job?** 344
  - What is the JobManager?** 343
  - Workflow** 364
- SilverFastNegaFix** 70, 233
- SilverFastPhotoProof** 298, 299, 331
- SilverFastSC2G** 180
  - Activating SC2G 180

- Changing a colour image to grey 181
- Changing the conversion factors 183
- Saving / loading / deleting SC2G settings 182
- SilverFastScanPilot** 351
- SilverFastSRD** 41, 369
  - Administration of layers 371
  - Activate / Deactivate realtime correction 377
  - Activating SilverFastSRD 375
  - Activation of SilverFast dust and scratch removal 371
  - Auto 375
  - Continuity 387, 392
  - Contrast 387, 391
  - Control buttons 371
  - Control menu 371
  - Creating masks 371
  - Defect recognition 379
  - Defect size 379
  - Defect type 379, 387, 388
  - Delete Resources 385
  - Detection 379
  - Environment size 381, 386
  - Expert mode 371, 386
  - Extension 386
  - Intensity 379, 380
  - Layers 383
    - Add layer 384
    - Move layer 384
    - Multiple layers 383
  - Length 387, 389
  - Longish scratches 387
  - Manual correction 378
  - Masks 371, 382
    - Adding to mask 383
    - Drawing a mask 382
    - Drawing an inverted mask 383
    - Mask tools 382
    - Selection of mask tool 382
    - Subtracting from mask 383
- Monitor modes** 376
  - Artifacts highlighted 377
  - Corrected view 377
  - Original view 377
- Navigator** 376
- Navigator window** 371
- Orientation** 387, 388
- Output resolution** 374
- Overview** 371
- Presets** 371
- Preview** 375
- Red framed tile** 376
- Save / Load settings** 385
- Using SRD and iSRD simultaneously (layer technology)** 396
- View of artifacts** 371
- Width** 387, 390
- Workflow** 372, 373
- Yellow framed tile** 376
- Size adjustments / scaling** 76
- Skin tones** 74
- Snow** 74
- Soft mask** 57
- Softproof** 91, 195, 416, 427
  - Changing the separation parameter and control on the effect of shadow-build-up 93
  - Softproof of CMYK colour separations 92
- Sorting images** 279
- Special defaults palette** 65
- Special functions** 39, 193
- Specular highlights** 130, 141
- SRD.** See SilverFastSRD
  - SRD (Smart Removal of Defects) 369
- sRGB** 416
- Stand-Alone-Application.** See SFLauncher

**Start volume** 21  
**Studio upgrade** 253  
**Studio versions** 401, 405  
**Super fine scan** 67  
**Switching scanners** 80  
**Switch SilverFast from RGB to CMYK** 427  
**System requirements** 19, 259

- Macintosh 19
  - 68k 19
- Windows 20

## T

**Technic** 74  
**Templates** 298, 316, 319. *See* PrinTao

- Default templates 321
- Modification of templates 319
- View templates 301

**Text tools.** *See* PrinTao  
**Three-step slider** 155  
**Threshold** 59, 119, 200, 213, 216

- Auto threshold highlight 121
- Auto threshold shadow 121

**Thumbnail size** 268  
**Toggle switch** 195  
**Tool bar in the prescan window** 40

- Auto-adjust 46
- Expert dialogue 46
- Global correction 46
- Gradation 46
- Histogram. *See* Virtual Light Table (VLT)
- Reduce window 46
- Selective colour correction 46
- Setting highlight / mid tone / shadow 46
- Zoom 46

**Tools for brilliant images** 107

**Tools palette** 39, 108

- Tools 46, 108

**Transparency** 70, 103  
**TWAIN** 25

## U

**Uneven scaling of images** 77  
**Units of measurement** 52, 53  
**Unload images** 271  
**Unsharp masking (sharpness)** 73, 199, 209

- Automatic USM 199
- Manual USM 199
- Manual USM in the expert dialogue 203
  - Light contour / dark contour 203
  - Over sharpening 203
  - Shadows soft 204
  - Sharpen from (only in negative-mode) 203
  - Sharpening up to 203
- Matrix 200
- Pixel zoom 201
- Setting of the output parameters 199
- Strength 200
- Threshold 200
- USM dialogue with scaleable prescan 202
- Zooming into the Preview 201

**Update reminder** 33  
**Upgrade button** 32  
**USB** 21, 80  
**USBSCAN.SYS** 21  
**User defined** 74  
**User forum** 27  
**USM** 209, 374. *See* Unsharp masking (sharpness)

## V

**Vertical scaling** 76

**Virtual Light Table (VLT)** 42, 255, 265

Album window 278

Arrangement of the VLT 265

Blue\* or green dots within the thumbnails 277

Drag & Drop 279

Edit name and image comment 281

Export button 287

JobManager 288

Keyboard shortcuts 290

Launching the Virtual Light Table (VLT) 265

Magnifier 277

PrinTao in VLT 299

RAW data file 286

Rotating and flipping images 282

Size of the miniatures 281

Sort images by drag & drop 279

Sort images by marking 280

Workflow example 289

**VLT** 255, 265, 340. See Virtual Light Table (VLT)

**Densitometer** 186

**Editing a zoomed prescan** 102

**Magnifyer turns green** 100

**Magnifyer turns red** 100

**Zoom and difficult corrections** 101

**Zooming by click-dragging the mouse** 99

**Zooming by mouse click** 97

**Zooming by the zoom display popup** 98

**Zooming in the Prescan** 95

**Zooming in the prescan** 184

## W

**Welcome dialogue** 26, 57

**White Bbalance** 292

**Workflow of optimising images** 113

## X

**XML files** 318

## Y

## Z

**Zoom** 95, 97, 108, 184, 323



